

FOR IMMEDIATE RELEASE

For more information,
contact: Adaven Rohling
Diversified Agriculture and Natural Resource Agent, Wildcat Extension District
adaven@ksu.edu, (620) 331-2690

Blue-green Algae

While all pond weeds and algae can become a nuisance and start to overtake a pond, requiring control, one type of algae is of particular concern and that is Blue-green algae. Blue-green algae can occur in a pond as a result of runoff that carried nitrogen or phosphorus into the pond. When the temperature reaches 75 degrees or higher the algae can grow and bloom. A period of hot, sunny days with little wind following an increase in runoff from rain also increases the likelihood of blue-green algae blooms.

While filamentous algae (green algae) is very common on farm ponds and is not harmful to animals, Blue - green alga includes many species of photosynthetic cyanobacteria that live in the water and produce toxins that are poisonous to animals. The toxins that result from harmful blooms of blue-green algae are stored in the cyanobacteria until they die, and as the cyanobacteria decompose the toxins are released into the water. Because these toxins are poisonous to animals it is important to monitor your pond for signs of Blue-green algae and not allow animals access to the pond if Blue-green algae is suspected.

When a pond has a harmful bloom of blue-green algae the water will have a scum that is most commonly bright green or blue/green as the name suggests, but can vary in color from blue-green to gray and even red, orange, or brown. The scum will often look like spilled paint, and the water of a pond will often smell bad. Blue-green algae blooms are typically the worst in areas of the pond where water is stagnant water, such as a cove or inlet. Ponds that have do not have much water movement and do not have much shade are more likely to produce harmful blooms of blue-green algae due to the amount of sunlight that is able to pass through the water's surface. If signs of Blue-green algae are noticed in a pond, animals should not be allowed access to the pond and water samples should be taken from the pond and sent to the Kansas State Veterinary Diagnostic Laboratory to be tested. Until the water has been tested and is confirmed safe, animals should be kept away from the pond. Two weeks from when the algae bloom starts is the average length of time it takes to get rid of the toxin. However, a blue-green algae bloom, can last from days to months depending on the weather conditions. During this time animals should be kept away from the pond and the water should be retested before allowing animals access to the pond again to ensure that there are no longer toxins in the water. There are different options when it comes to treating a pond for blue green algae, including copper sulfate and copper sulfate-based algaecides.

For more information contact Adaven Rohling, Diversified Agriculture and Natural Resource Agent Wildcat District, at 620-331-2690 or adaven@ksu.edu.

#

Kansas State University Agricultural Experiment Station and Cooperative Extension Service
K-State Research and Extension is an equal opportunity provider and employer. Issued in furtherance of Cooperative Extension work, acts of May 8 and June 30, 1914, in cooperation with the U.S. Department of Agriculture, Director of K-State Research and Extension, Kansas State University, County Extension Councils, Extension Districts.